

Proceedings of the
11th International Conference
on Root and Butt Rots

Root and Butt Rots of Forest Trees

Edited by
Małgorzata Mańska and Piotr Łakomy



International Union of Forest Research Organizations
(IUFRO)
Working Party 7.02.01

The August Cieszkowski Agricultural University
Poznań, Poland
2005

Organizing Committee

Chairperson

Professor Małgorzata Mańska D.Sc. (Agr.)

Members

Piotr Łakomy D.Sc. (For.)

Professor Zbigniew Sierota D.Sc. (For.)

The August Cieszkowski Agricultural University
Department of Forest Pathology
ul. Wojska Polskiego 71C
60-625 Poznań, Poland
e-mail: plakomy@au.poznan.pl

CONTENTS

	page
50 years of IUFRO Root and Butt Rots conferences	11
 Taxonomy, population biology and genetics	
Y. Ota, S. Ito, S. Kudo, E. Hasegawa, A. Pérez-Sierra and J-J. Guillau-min — The comparison between Japanese and European <i>Armillaria ectypa</i> . Morphological and ecological characteristics and genetic relationships	29
N. Keča, W.A.J. Bodles, S. Woodward and D. Karadžić — Identification of <i>Armillaria</i> spp. in Serbia	35
N. Selochnik, K. Przybył and K. Ufnalski — <i>Armillaria</i> spp. in some regions of Russia	42
A. Źółciak — Identification of <i>Armillaria</i> species in Norway spruce stands in Poland	47
J.D. Mihail and J.N. Bruhn — Dynamics of bioluminescence of <i>Armillaria</i> species	52
K. Korhonen and Y-C. Dai — Genetically identified taxa of <i>Heterobasidion</i> and their distribution in Eurasia	57
R. Warner, P. Gonthier, W. Otrosina, G. Laflamme, G. Bussières, J. Bruhn and M. Garbelotto — Phylogenetic analysis of <i>Heterobasidion annosum</i> P ISG from an inter- to an intracontinental scale	64
N. La Porta, M. Grudnicki and K. Korhonen — Distribution of <i>Heterobasidion</i> species in Romanian spruce-fir plantations and natural forests	73
W.J.A. Bodles, E. Beckett, L. Zamponi, S. Woodward, N. Keča and P. Capretti — <i>Heterobasidion annosum</i> population recruitment and spread in a severely infected Sitka spruce stand in north east Scotland	83
P. Łakomy, A. Werner and Z. Broda — Pathogenicity of <i>Heterobasidion annosum</i> S group clones to Norway spruce seedlings	94
K. Lundén, M. Eklund, R. Finlay, J. Stenlid and F.O. Asiegbu — Heterologous array analysis in <i>Heterobasidion</i> : hybridisation of cDNA arrays with probe from mycelium of the S, P or F-intersterility group	101
L. Pedron, N. La Porta and P. Capretti — <i>In vitro</i> growth of <i>Heterobasidion annosum</i> on wood filtrate media	110
N. La Porta, F. Biasioli, F. Gasperi and T.D. Märk — Proton transfer reaction mass spectrometry: a new technique to assess chemotaxonomic variation in <i>Heterobasidion</i> spp.	118

A. Hamdan, T.N. Sieber and O. Holdenrieder — Decay fungi in Norway-spruce snags	126
F.O. Asiegbu, Å. Olson, G. Li, A. Adomas, D. Craig, Tzu-Ming Chu, G. Heller, M. Karlsson, J. Nahalkova, Len Van Zyl, R. Wolfinger, R. Sederoff, R.A. Dean, R. Finlay and J. Stenlid — Transcript profiling of differentially expressed Scots pine genes during challenge with saprotrophic, pathogenic or symbiotic fungi	131
S. Gibson and K. Lewis — Genetic diversity of <i>Inonotus tomentosus</i> in natural and managed sub-boreal spruce forests in British Columbia	139
R.N. Sturrock, I. Leal, X. Yu, K. Pellow, B. Foord and A.K.M. Ekramoddoullah — Diversity and virulence of <i>Phellinus weiri</i> in British Columbia: results from two studies	153
T. Oszako, A. Kozłowska and D. Voitka — Possibilities for using techniques from molecular biology in the detection and identification of forest tree pathogens	155
H.J. Weitz, S. Woodward and K. Killham — Naturally bioluminescent fungi — <i>Armillaria</i> species	162
M.-S. Kim, J.W. Hanna, N.B. Klopfenstein, P.J. Zambino and G.I. McDonald — Characterization of North American <i>Armillaria</i> species: phylogenetic relationships from IGS, ITS, and nuclear large subunit ribosomal DNA sequences	164
J.W. Hanna, N.B. Klopfenstein, M.-S. Kim, G.I. McDonald and J.A. Moore — Phylogeographic analyses of genetic variation within <i>Armillaria ostoyae</i> from the western United States	166
M. Karlsson, Å. Olson and J. Stenlid — Infection-related gene expression in <i>Heterobasidion annosum</i>	168
B. Slippers, R. Vasiliauskas, M.J. Wingfield and J. Stenlid — Studies on the ecology of <i>Amylostereum</i> symbionts of siricid woodwasps and their phylogenetic relation to the russuloid <i>Basidiomycetes</i>	169

Infection biology: resistance, host-pathogen interaction

B. Metzler — Mechanism of sapwood colonization by <i>Armillaria</i> spp.	173
T. Tosa, H. Inagawa, N. Matsushita and K. Suzuki — The virulence of <i>Armillaria mellea</i> and <i>A. ostoyae</i> in Japan	176
E. Hasegawa — Decline of ornamental cherry trees along streets in Tsukuba City in Japan associated with <i>Armillaria tabescens</i>	181
M. Cleary, B.J. van der Kamp and D.J. Morrison — Host response to infection by <i>Armillaria ostoyae</i> in the roots of western red cedar and western hemlock in the southern interior of British Columbia	186

I.A. Hood and J.F. Gardner — Colonisation of <i>Pinus radiata</i> thinning stumps by <i>Armillaria</i> and other basidiomycetes following treatment with <i>Armillaria</i> basidiospores	196
S. Woodward, J. Stenlid, M. Michelozzi, H. Solheim, B. Karlsson and P. Tsopelas — RESROBS: potential for exploiting resistance to <i>Heterobasidion</i> in spruce	209
M.E. Sánchez, P. Capretti, C. Calzado, R. Navarro and A. Trapero — Root rot disease on <i>Abies pinsapo</i> in southern Spain	220
P. Gonthier, G. Nicolotti, M. Garbelotto and G.P. Cellerino — Seasonal patterns of spore deposition of <i>Heterobasidion</i> spp. in the Alps	224
W.J.A. Bodles, E. Beckett and S. Woodward — Relative susceptibility of Sitka spruce clones to infection by <i>Heterobasidion annosum</i>	232
E. Beckett, W.J.A. Bodles and S. Woodward — Growth of <i>Heterobasidion annosum</i> in Sitka spruce bark: influence on boundary zone development	239
A. Madmony, L. Zamponi, P. Capretti and M. Michelozzi — The response of monoterpane composition to <i>Heterobasidion parviporum</i> infection in two <i>Picea abies</i> clones under water stress	247
L. Zamponi, P. Capretti, B. Karlsson and M. Michelozzi — Relationship between terpene composition and susceptibility to <i>Heterobasidion parviporum</i> in <i>Picea abies</i> clones	251
M. Garbelotto, P. Gonthier and G. Nicolotti — Assessing fitness of <i>Heterobasidion</i> F1 hybrids through inoculation experiments	255
M. Tabata, M. Takemoto, N. Toda and Y. Abe — Infection of <i>Perenniporia subacida</i> in <i>Chamaecyparis obtusa</i>	261
M.G. Cruickshank, D.J. Morrison and D. Lejour — Timing of infection, host reaction, and associated growth reduction in immature Douglas-fir due to <i>Armillaria ostoyae</i> infection	269
C. Gorton — The effect of different abiotic factors on the growth of rhizomorphs of <i>Armillaria gallica</i> and <i>A. mellea</i>	270
A. Pérez-Sierra and J.L. Faull — Growth of different <i>Armillaria</i> species in soil and compost	271
M. Bendel, F. Kienast, H. Bugmann and D. Rigling — Gaps associated with <i>Heterobasidion annosum</i> and <i>Armillaria</i> spp. in an unmanaged mountain pine forest in the Alps	272
D. Rigling, H. Blauenstein and M. Dobbertin — Incidence of root and butt rot in storm-damaged versus non-damaged Norway spruce	274
B. Lung-Escarmant and F. Maugard — Fomes risk (<i>Heterobasidion annosum</i>) in the French south-west pine forest after the 1999 windstorm	275

Disease development inventory, site factors, forest management

J.N. Bruhn, D.C. Dey, K.K. Kromroy, J.D. Mihail, J.M. Kabrick and J.J. Wetteroff Jr. — <i>Armillaria</i> root disease affects oak coppice regeneration in upland Missouri ozark forests	279
G.M. Filip, L.M. Ganio and S.A. Fitzgerald — Early thinning in mixed-species plantations affected by <i>Armillaria ostoyae</i> in Oregon and Washington, USA: 20 – 30-year results	286
R.M. Robinson — Volume loss in thinned karri regrowth infected by <i>Armillaria luteobubalina</i> in Western Australia	296
K. Reszko and M. Mańska — Monitoring root diseases in Scots pine stands (up to 20 years) flooded in 1997	304
J. Jańczyk and M. Mańska — Phytopathological monitoring in young plantations of Scots pine (sown and planted) in Olesno Forest District .	311
W. Szewczyk and M. Mańska — Monitoring of root diseases in young (up to 20 years) Scots pine plantations in Zielonka Forest District .	316
P. Łakomy and R. Cieślak — <i>Armillaria ostoyae</i> disease development in Scots pine plantations in the first 10 years after planting	321
S. Prospero, O. Holdenrieder and D. Rigling — Competition for stump resources between <i>Armillaria cepistipes</i> and <i>Armillaria ostoyae</i> : an experimental study	326
A. Pérez-Sierra, I. Waghorn, C. Gorton and J.L. Faull — Growth and behaviour of <i>Armillaria mellea</i> in organic mulches and effect of mulching in the infection process	333
P. Łakomy, A. Werner and P. Marczyński — <i>Armillaria</i> spp. rhizomorphs production in polluted soils	340
N. La Porta, L. Pedron and P. Capretti — <i>Heterobasidion annosum</i> growth (ISG F, P and S) after pathogenicity test on <i>Abies alba</i> and <i>Picea abies</i> , in Italian Alps	346
E. Petrylaitė and J. Rönnberg — Presence of <i>Heterobasidion</i> spp. and the need for stump treatment in monocultures of Scots pine in southern Sweden	356
S. Woodward, E. Haramburu and D.H. Johnston — <i>Heterobasidion annosum</i> in a severely affected Norway spruce stand following chemical thinning	363
G. Swedjemark and B. Karlsson — Exclusion of the pathogen in cuttings and twigs and induced resistance among <i>Heterobasidion parviporum</i> inoculated clones of <i>Picea abies</i>	372

T. Gaitnieks, L. Šica, A. Indriksons and L. Grantiņa — Root-rot detection in Norway spruce stands using pulsed electronic tool	379
P.J. Wahounou, P. Gnonhouri, G.P. Zahouri, Y.M. Gnagne, N.C. Kouame and O. Anoman — Teak (<i>Tectona grandis</i>) decline in Ivory Coast .	386
A. Kaliszewski, P. Lech and T. Oszako — The occurrence of, and economic loses caused by, the <i>Armillaria</i> root rot in the Norway spruce stands of the western Carpathian Mountains	395
D. Rigling, H. Blauenstein, B. Frey and M. Günthardt-Goerg — <i>Armillaria</i> root disease in a model ecosystem exposed to heavy metals and acid rain	396
I. M. Thomsen and B. Bilde Jørgensen — Comparison of butt rot frequencies in 7 conifer species in Denmark	397
I.M. Thomsen and G.A. Chastagner — Impact of <i>Heterobasidion annosum</i> on Fraser fir Christmas trees plantations	398
T. Oszako, L.B. Orlikowski and G. Szkuta — <i>Phytophthora cinnamomi</i> and <i>P. citrophthora</i> in Polish forest stands	399
B. Duda, L.B. Orlikowski and G. Szkuta — <i>Phytophthora</i> spp. in Polish forest nurseries	400

Control

F. Raziq and R.T.V. Fox — Factors affecting biocontrol efficacy of <i>Trichoderma</i> spp. and other antagonists of <i>Armillaria mellea</i>	403
P. Łakomy — Control of <i>Armillaria</i> spp. in deciduous trees stumps by <i>Basiidiomycetes</i>	412
A. Żołciak — Intensity of wood decay caused by <i>Lentinus edodes</i> and <i>Pleurotus ostreatus</i>	420
A. Żołciak — Stump inoculation with <i>Lentinus edodes</i>	423
P. Łakomy — Results of <i>Armillaria ostoyae</i> biological control in Scots pine plantations	428
K. Thorpe and J. Webber — Optimisation of a biological control agent for <i>Heterobasidion annosum</i> in the UK	433
A. Adomas, M. Eklund, M. Johansson and F.O. Asiegbu — A genomic characterisation of the interaction between <i>Phlebiopsis gigantea</i> and <i>Heterobasidion</i> species	441
T. Oszako, I. Olejarski and W. Szewczyk — Initiation of processes of transformation from post-agricultural to forest soil as a way to limit damage caused by <i>Heterobasidion annosum</i>	449

B. Lung-Escarmant and F. Maugard — Investigations on chemical and physiological control to prevent mortality caused by <i>Armillaria ostoyae</i> in mature stands of <i>Pinus pinaster</i>	460
G. Laflamme and G. Bussières — Biological control trials of <i>Heterobasidion annosum</i> on logs of three pine species	461
J. Pratt, M. Niemi and Z. Sierota — Registration of biocontrol products based on <i>Phlebiopsis gigantea</i> : the need for a monograph on this fungus	462
M.M. Sukhomlyn and O.V. Kutkovaya — Antagonistic relationship among xylogenous fungi	463

Modelling

J.E. Pratt — Use of a computer model of a forest disease in long-term strategic planning	467
S. Woodward, J.E. Pratt, T. Pukkala, K.A. Spanos, G. Nicolotti, T. Cech, J. Stenlid, B. Marçais, P. Lakomy and C.G. Shaw III — MOHIEF: Modelling <i>Heterobasidion</i> Infection in European Forests	475
D. Moseley, J.E. Pratt, T. Pukkala, K. Thorpe, D. Tracey and S. Woodward — Modelling <i>H. annosum</i> : validating MOHIEF with real-time data from a species-susceptibility trial in Britain	485
M. Thor and J. Stenlid — Modelling of <i>Heterobasidion</i> spp. in Sweden — a planning perspective using national forest inventory data	494
F.G. Peet and R.S. Hunt — Overview and dynamic display of root rot tracker — a computer-based representation of below-ground disease spread processes	502
PROFOREST Centre of Excellence	511
List of participants	513